Bowel Preparation with Magnesium Citrate (2-day prep)

- DO NOT EAT OR DRINK ANYTHING 4 HOURS BEFORE YOUR SCHEDULED ARRIVAL TIME.
- □ You must be accompanied by a friend or relative to drive and/or assist you home. <u>We WILL NOT discharge you</u> to a cab, bus or other transportation service <u>without</u> a responsible party with you. You may not drive for 12 hours following your procedure.

Materials You Will Need to Prepare For Your Procedure

- □ Purchase at the Store:
 - **Magnesium Citrate**, 10 ounce bottle (over the counter)
 - Dulcolax Laxative or Bisacodyl Laxative (generic), over the counter
- □ Clear Liquid Diet Instructions (see attached Clear Liquid Diet Sheet)

Special Instructions Regarding Medications

- Do Not take Iron supplements for one week prior to the procedure date. Multivitamins are OK.
- □ Stop taking Coumadin/Plavix _____ days prior to your scheduled procedure date.
- Diabetic patients:
- Do Not take Lasix, HCTZ or Dyazide (water pill) the day of the procedure
- □ Heart/Blood Pressure/ Thyroid/Seizure/Nerve Medications can be taken on the day of the procedure with a sip of water.
- □ Stop Effexor one day before the procedure
- Asthmatic patients should bring their INHALERS with them on the day of the procedure
- \Box Other _

 \square

Two Days Before Your Exam

- DO NOT EAT ANY SOLID FOODS!!! You may only have LIQUIDS the entire day. (see attached Full Liquid Diet Sheet).
- □ Take all of your normal prescription medications, **unless advised otherwise.**

The Day Before Your Exam

- □ DO NOT EAT ANY SOLID FOODS. YOU MAY ONLY HAVE CLEAR LIQUIDS UNTIL 4 HOURS BEFORE YOUR SCHEDULED ARRIVAL TIME.
- □ Take all of your normal prescription medications, **unless advised otherwise**.
- \Box You may go to work, but be home by 6 pm to begin your bowel prep.
- □ **IMPORTANT NOTE**: follow the instructions below, **NOT** the instructions on the Prep's packaging.

PM Procedure

- \Box At 6 pm Take four (4) dulcolax laxative tablets (by mouth) with water.
- □ At 6 am on the morning of your procedure Drink a 10 ounce bottle of Magnesium Citrate until the entire solution is consumed.
- □ You must finish drinking this solution by 8 am
- □ WITH AN AFTERNOON PROCEDURE, you may have CLEAR LIQUIDS up to 4 hours prior to your scheduled arrival time.
 - ⇒ Questions about symptoms or medications call 484-356-1050 between 7:30 am- 3:30 pm (Nurse Line)
 - \Rightarrow General or reschedule questions call 610-431-3122
 - \Rightarrow If you reschedule, ask if you will need new prep instructions.